

Product card AX-573



Symbol:

AX-573

Product groups:

Digital Multimeters

Product specifications

Type of meter:	digital multimeter
Measurement:	AC current, AC voltage, capacitance, DC current, DC voltage, resistance, transistors' gain h_{FE}
Kind of display used:	LCD 3,5 digit (1999)
DC voltage measuring range:	100 μ V...200mV, 2V, 20V, 200V, 1kV
DC voltage measuring accuracy:	$\pm(0,5\% + 3 \text{ digits})$
AC voltage measuring range:	1mV...2V, 20V, 200V, 750V
AC voltage measuring accuracy:	$\pm(2\% + 5 \text{ digits})$
DC current measuring range:	0.01...200 μ A, 2mA, 200mA, 20A
AC current measuring range:	1 μ A...2mA, 200mA, 20A
DC current measuring accuracy:	$\pm(0,8\% + 10 \text{ digits})$
AC current measuring accuracy:	$\pm(0,8\% + 5 \text{ digits})$
Resistance measuring range:	100m Ω ...200 Ω , 2k Ω , 20k Ω , 200k Ω , 2M Ω , 20M Ω
Resistance measuring accuracy:	$\pm(0,8\% + 3 \text{ digits})$
Capacitance measuring range:	10mF

Product card AX-573

Capacitance measuring accuracy:	±(2,5% + 20 digits)
Test:	1mA @3000mV
Transistors' gain (hFE) test:	3V
Continuity test:	<70Ω, acoustic indication
Weight:	400g
Power supply:	battery AA 1,5V x2
Standard equipment:	test leads, user's manual
Conform to the norm:	EN61010 600V CAT III
Measuring instrument features:	automatic power-off, impact resistant holster, low battery indicator, manual ranging, overflow indicator, universal
Battery/rechargeable battery:	none

Additional information

Gross weight:	0.2 kg
----------------------	--------